

BRENNABOR T-44E



2.699,00 €

Simply step through, get on and start off: the wave frame and semi-integrated Bosch drive make it possible. Quiet, comfortable cycling thanks to superior technology.



VARIATIONS

| Price | Frame shape/height | Colours | Tire size |
|------------|--------------------|----------------------------|--------------|
| 2.699,00 € | Deep/45 cm | black matt / high red matt | 28 Zoll/inch |
| 2.699,00 € | Deep/50 cm | black matt / high red matt | 28 Zoll/inch |
| 2.699,00 € | Deep/55 cm | black matt / high red matt | 28 Zoll/inch |

ZUSÄTZLICHE INFORMATIONEN

| | | |
|---------------------|-------------------------|--|
| Frame | Frame | Semi-Integrated-Bosch-Frame, Aluminium 6061 |
| | Frame shape | Deep |
| | Frame height | 45 cm 50 cm 55 cm |
| | Frame shape/height | Deep/45 cm Deep/50 cm Deep/55 cm |
| | Colours | black matt / high red matt |
| | Fork | SUNTOUR "SF14 NEX E25-DS", einstellbar, 63mm Travel, Disc |
| Drive system | Drive system | Bosch |
| | Motorposition | Mittelmotor |
| | Motor | BOSCH Mittelmotor Gen.3 "Active Line PLUS", 36 V, 250 W |
| | Energy content | BOSCH Lithium-Ionen mit BMS, 36 V, 13,88 Ah, 500 Wh |
| | Battery capacity | 500 Wh |
| | Display | BOSCH, "Intuvia " 4-Stufen, Remote Control, Schiebehilfe |
| | Battery charger | BOSCH 2 Ah |
| | Sensor | Tretkraftmessung im Motor + Geschwindigkeitssensor |
| Support up to | 25 km/h | |

| | | |
|------------------------|------------------------------------|--|
| Cockpit | Handlebars | SATORI "Wien", 680 mm, Ø 31,8 mm |
| | Handlebar grips | CONTEC "Tour Wing Eco" |
| | Stem | Alu, verstellbar, Ø 31,8 mm |
| | Saddle | SELLE ROYAL "Vivo Ergo" |
| | Seat Post | SATORI "Harmony LT2", gefedert, Ø 30,4 mm, Alu |
| Brake | Brake | SHIMANO "BR-MT200" |
| | Brake lever | SHIMANO "BL-MT200" |
| | Rear-wheel brake disc | SHIMANO "RT30", 160 mm |
| | Front-wheel brake disc | SHIMANO "RT30", 180 mm |
| Wheels | Wheel rims | Hohlkammer "X6", Alu |
| | Rear-wheel hub | SHIMANO "Nexus" 8-Gg. RBN, 5-Loch |
| | Front-wheel hub | SHIMANO "HB-TX505", QR, CL |
| | Tyres | CONTINENTAL "Contact Plus", 47-622, Reflex |
| | Tire size | 28 Zoll/inch |
| | Spokes | Niro, black |
| Shifting system | Shifting system | Nabenschaltung |
| | Gears | 8 |
| | Shifting | 8-Gang SHIMANO "Nexus" RBN |
| | Gear shift | SHIMANO "SL-S503", 8-Gg. |
| | Bottom bracket | BOSCH |
| | Cassette | SHIMANO, 20 Z. |
| | Chain / Belt | KMC "e1", EPT |
| | Sprocket | FSA "WB385", 38 Z. |
| Crank | FSA "CK220", 170mm | |

| | | |
|---------------|-------------|--|
| Lights | Front light | CONTEC "Dlux 50 E+", 50 Lux |
| | Rear light | CONTEC "CTL-335 E" |
| Extras | Mudguards | SKS, Kunststoff |
| | Rack | MASSLOAD "TA7653A", mit MIK-System |
| | Chainguard | HESLING "Move" Bosch Gen.3 |
| | Locks | ABUS 4750 |
| | Kick stand | URSUS "Wave" verstellbar |
| | Pedals | MARWI "SP-822" |