

BRENNABOR T-46E



2.899,00 €

The belt drive on the e-trekker is quiet, low-maintenance and durable, which is why it fits so well into the overall concept of the comfortable day-to-day e-bike.



VARIATIONS

Price	Frame shape/height	Colours	Tire size
2.899,00 €	Herren/52 cm	black / silver grey	28 Zoll/inch
2.899,00 €	Herren/56 cm	black / silver grey	28 Zoll/inch
2.899,00 €	Herren/60 cm	black / silver grey	28 Zoll/inch
2.899,00 €	Deep/45 cm	black / silver grey	28 Zoll/inch
2.899,00 €	Deep/50 cm	black / silver grey	28 Zoll/inch
2.899,00 €	Deep/55 cm	black / silver grey	28 Zoll/inch

ZUSÄTZLICHE INFORMATIONEN

	Frame	Semi-Integrated-Bosch-Frame, Aluminium 6061
	Frame shape	Deep Herren
	Frame height	45 cm 50 cm 52 cm 55 cm 56 cm 60 cm
Frame	Frame shape/height	Deep/45 cm Deep/50 cm Deep/55 cm Herren/52 cm Herren/56 cm Herren/60 cm
	Colours	black / silver grey
	Fork	SUNTOUR "SF19-NEX E25 NLO", einstellbar, Lockout, 63mm Travel, Disc

Drive system	Drive system	Bosch
	Motorposition	Mittelmotor
	Motor	BOSCH Mittelmotor Gen.3 "Active Line PLUS", 36 V, 250 W
	Energy content	BOSCH Lithium-Ionen mit BMS, 36 V, 13,88 Ah, 500 Wh
	Battery capacity	500 Wh
	Display	BOSCH, "Intuvia " 4-Stufen, Remote Control, Schiebehilfe
	Battery charger	BOSCH 2 Ah
	Sensor	Tretkraftmessung im Motor + Geschwindigkeitssensor
Support up to	25 km/h	
Cockpit	Handlebars	SATORI "Wien", 680 mm, Ø 31,8 mm
	Handlebar grips	CONTEC "Tour Wing"
	Stem	Alu, verstellbar, Ø 31,8 mm
	Saddle	SELLE ROYAL "Vivo Ergo"
	Seat Post	SATORI "Harmony LT2", gefedert, Ø 30,4 mm, Alu
Brake	Brake	SHIMANO "BR-MT200"
	Brake lever	SHIMANO "BL-MT200"
	Rear-wheel brake disc	SHIMANO "RT30", 180 mm
	Front-wheel brake disc	SHIMANO "RT30", 180 mm
Wheels	Wheel rims	Hohlkammer "X6", Alu
	Rear-wheel hub	SHIMANO "Nexus" 8-Gg. LL, CL
	Front-wheel hub	SHIMANO "HB-TX505", QR, CL
	Tyres	CONTINENTAL "Contact Plus", 47-622, Reflex
	Tire size	28 Zoll/inch
	Spokes	Niro, black

Shifting system	Shifting system	Nabenschaltung
	Gears	8
	Shifting	8-Gang SHIMANO "Nexus" LL
	Gear shift	SHIMANO "SL-S503", 8-Gg.
	Bottom bracket	BOSCH
	Cassette	GATES "CDN", 22 Z., Stahl
	Chain / Belt	GATES "CDX", Belt, 125 Z., 1375 mm
	Sprocket	GATES "CDX, 46 Z.
	Crank	FSA "CK220", 170mm
Lights	Front light	CONTEC "Dlux 50 E+", 50 Lux
	Rear light	CONTEC "CTL-335 E"
Extras	Mudguards	SKS, Kunststoff
	Rack	MASSLOAD "TA7653A", mit MIK-System
	Chainguard	HESLING "Velo" Bosch Gen.3
	Locks	ABUS 4750
	Kick stand	URSUS "Wave" verstellbar
	Pedals	MARWI "SP-822"