


BRENNABOR T-60E



2.799,00 €

The bike's best features are hardly visible to the eye. The frame integrates motor and battery according to the latest technical standards, ensuring the comfortable propulsion that has always been one of the bike's most compelling hallmarks.



VARIATIONS

Price	Frame shape/height	Colours	Tire size
2.799,00 €	Herren/52 cm	micro grey matt / pebble grey matt	28 Zoll/inch
2.799,00 €	Herren/56 cm	micro grey matt / pebble grey matt	28 Zoll/inch
2.799,00 €	Herren/60 cm	micro grey matt / pebble grey matt	28 Zoll/inch
2.799,00 €	Trapez/50 cm	bordeaux red matt / purple matt	28 Zoll/inch
2.799,00 €	Trapez/55 cm	bordeaux red matt / purple matt	28 Zoll/inch
2.799,00 €	Wave/45 cm	bordeaux red matt / purple matt	28 Zoll/inch
2.799,00 €	Wave/50 cm	bordeaux red matt / purple matt	28 Zoll/inch
2.799,00 €	Wave/55 cm	bordeaux red matt / purple matt	28 Zoll/inch

ZUSÄTZLICHE INFORMATIONEN

	Frame	Bosch-Intube-Frame, Aluminium 6061
	Frame shape	Herren Trapez Wave
	Frame height	45 cm 50 cm 52 cm 55 cm 56 cm 60 cm
Frame	Frame shape/height	Herren/52 cm Herren/56 cm Herren/60 cm Trapez/50 cm Trapez/55 cm Wave/45 cm Wave/50 cm Wave/55 cm
	Colours	bordeaux red matt / purple matt micro grey matt / pebble grey matt
	Fork	SUNTOUR "SF19-NEX E25 NLO", einstellbar, Lockout, 63mm Travel, Disc

Drive system	Drive system	Bosch
	Motorposition	Mittelmotor
	Motor	BOSCH Mittelmotor Gen.3 "Active Line PLUS", 36 V, 250 W
	Energy content	Bosch PT Lithium-Ionen mit BMS, 36V, 13,88 Ah, 500 Wh
	Battery capacity	500 Wh
	Display	BOSCH, "Intuvia " 4-Stufen, Remote Control, Schiebehilfe
	Battery charger	BOSCH 2 Ah
	Sensor	Tretkraftmessung im Motor + Geschwindigkeitssensor
Support up to	25 km/h	
Cockpit	Handlebars	SATORI "Wien", 680 mm, Ø 31,8 mm
	Handlebar grips	CONTEC "Tour Wing Eco"
	Stem	Alu, verstellbar, Ø 31,8 mm
	Saddle	SELLE ROYAL "Vivo Ergo"
	Seat Post	SATORI "Harmony LT2", gefedert, Ø 31,6 mm, Alu
Brake	Brake	SHIMANO "BR-MT201"
	Brake lever	SHIMANO "BL-MT201"
	Rear-wheel brake disc	SHIMANO "RT30", 180 mm
	Front-wheel brake disc	SHIMANO "RT30", 180 mm
Wheels	Wheel rims	Hohlkammer "X6", Alu
	Rear-wheel hub	SHIMANO "Nexus" 8-Gg. LL, CL
	Front-wheel hub	SHIMANO "HB-TX505", QR, CL
	Tyres	CONTINENTAL "Contact Plus", 47-622, Reflex
	Tire size	28 Zoll/inch
	Spokes	Niro, black

Shifting system	Shifting system	Nabenschaltung
	Gears	8
	Shifting	8-Gang SHIMANO "Nexus" LL
	Gear shift	SHIMANO "Nexus", 8-Gg.
	Bottom bracket	BOSCH
	Cassette	SHIMANO, 22 Z.
	Chain / Belt	KMC "e1", EPT
	Sprocket	FSA "WB385", 38 Z.
	Crank	FSA "CK602", 170mm
Lights	Front light	CONTEC "Dlux 80 E+", 80 Lux
	Rear light	CONTEC "CTL-335 E"
Extras	Mudguards	SKS, Kunststoff
	Rack	MASSLOAD "TA7653A", mit MIK-System
	Chainguard	HESLING "Move" Bosch Gen.3
	Locks	ABUS 4750
	Kick stand	URSUS "King2", verstellbar
	Pedals	MARWI "SP-828"