

BRENNABOR T-64E



3.399,00 €

Top trekking model for challenging daily commutes and weekend tours. With powerful e-bike support and equipment for all routes and seasons.



VARIATIONS

| Price | Frame shape/height | Colours | Tire size |
|------------|--------------------|-----------------------|--------------|
| 3.399,00 € | Herren/52 cm | polar grey / high red | 28 Zoll/inch |
| 3.399,00 € | Herren/56 cm | polar grey / high red | 28 Zoll/inch |
| 3.399,00 € | Herren/60 cm | polar grey / high red | 28 Zoll/inch |
| 3.399,00 € | Trapez/50 cm | polar grey / high red | 28 Zoll/inch |
| 3.399,00 € | Trapez/55 cm | polar grey / high red | 28 Zoll/inch |
| 3.399,00 € | Wave/45 cm | polar grey / high red | 28 Zoll/inch |
| 3.399,00 € | Wave/50 cm | polar grey / high red | 28 Zoll/inch |
| 3.399,00 € | Wave/55 cm | polar grey / high red | 28 Zoll/inch |

ZUSÄTZLICHE INFORMATIONEN

| | | |
|--------------|--------------------|---|
| | Frame | Bosch-Intube-Frame, Aluminium 6061 |
| | Frame shape | Herren Trapez Wave |
| | Frame height | 45 cm 50 cm 52 cm 55 cm 56 cm 60 cm |
| Frame | Frame shape/height | Herren/52 cm Herren/56 cm Herren/60 cm Trapez/50 cm Trapez/55 cm Wave/45 cm Wave/50 cm Wave/55 cm |
| | Colours | polar grey / high red |
| | Fork | SUNTOUR "SF19-NEX E25 NLO", einstellbar, Lockout, 63mm Travel, Disc |

| | | |
|---------------------|-------------------------|--|
| Drive system | Drive system | Bosch |
| | Motorposition | Mittelmotor |
| | Motor | BOSCH Mittelmotor Gen.4 "Performance CX", 36 V, 250 W |
| | Energy content | BOSCH PT Lithium-Ionen mit BMS, 36 V, 16,66 Ah, 625 Wh |
| | Battery capacity | 625 Wh |
| | Display | BOSCH, "Intuvia " 4-Stufen, Remote Control, Schiebehilfe |
| | Battery charger | Bosch 4 Ah |
| | Sensor | Tretkraftmessung im Motor + Geschwindigkeitssensor |
| Support up to | 25 km/h | |
| Cockpit | Handlebars | SATORI "Wien", 680 mm, Ø 31,8 mm |
| | Handlebar grips | CONTEC "Tour Wing" |
| | Stem | Alu, verstellbar, Ø 31,8 mm |
| | Saddle | SELLE ROYAL "Vivo Ergo" |
| | Seat Post | SATORI "Harmony LT2", gefedert, Ø 31,6 mm, Alu |
| Brake | Brake | SHIMANO "BR-MT420/410" |
| | Brake lever | SHIMANO "Deore BL-M4100" |
| | Rear-wheel brake disc | SHIMANO "RT54", 180 mm |
| | Front-wheel brake disc | SHIMANO "RT54", 180 mm |
| Wheels | Wheel rims | Hohlkammer "X6", Alu |
| | Rear-wheel hub | SHIMANO "FH-MT500", QR, CL |
| | Front-wheel hub | SHIMANO "HB-M4050", QR, CL |
| | Tyres | CONTINENTAL "Contact Plus", 47-622, Reflex |
| | Tire size | 28 Zoll/inch |
| | Spokes | Niro, black |

| | | |
|------------------------|-----------------|--|
| Shifting system | Shifting system | Kettenschaltung |
| | Gears | 12 |
| | Shifting | 1×12-Gang SHIMANO "Deore/SLX" |
| | Gear shift | SHIMANO "Deore SL-M6100" |
| | Bottom bracket | BOSCH |
| | Cassette | SHIMANO "Deore CS-M6100", 10-51 Z. |
| | Chain / Belt | KMC "e12" |
| | Sprocket | FSA "W0146 + WB466", 42 Z. |
| | Crank | FSA "CK220", 170mm |
| Lights | Front light | CONTEC "Dlux 120 E+", 120 Lux |
| | Rear light | CONTEC "CTL-335 E" |
| Extras | Lieferung | |
| | Mudguards | SKS, Kunststoff |
| | Rack | MASSLOAD "TA7653A", mit MIK-System |
| | Chainguard | HESLING "Velo" Bosch Gen.4 |
| | Locks | ABUS 4750 |
| | Kick stand | URSUS "King2", verstellbar |
| | Pedals | MARWI "SP-828" |